

DC60433 | DOBAQ

Instructions for Use

DOBAQ, N-(4-carboxybenzyl)-N,N-dimethyl-2,3-bis(oleoyloxy)propan-1-aminium, is a cationic lipids with a quaternary amine and unsaturated hydrocarbon chains. DOBAQ also serves as a pH-sensitive transfection reagent. Reagent grade, for research use only.

Product information

CAS No.	Not available
Chemical Name	DOBAQ
Formula	C49H84NO6
M.Wt	783.194375991821
Purity	98%
Storage	Original product: up to 1 year under the storage conditions stated on the vial, kept tightly sealed. Stock solutions: aliquots at -20°C, generally up to one month.
Shipping condition	Ships from Shanghai. Pure lipid is stable during ice-pack transport.

Formulation & study context

Literature values apply to the cited study only. Administration routes describe research, not clinical instructions.

A complete product-specific formulation has not been verified. No standard ratio is substituted.

N/P ratio	Not reported in the verified record
Cargo	Not available in the verified record
Administration route	Not available in the verified record
Animal model	Not available in the verified record
Formulation process	Not available in the verified record

N/P is a nitrogen-to-phosphate molar ratio. Lipid:cargo mass ratio is a different quantity and must not be used as N/P.

Stock-solution preparation table

Calculated using product-page MW: 783.194375991821 g/mol. Volumes are final solution volumes.

Mass	1 mM	5 mM	10 mM
10 mg	12.768 mL	2.554 mL	1.277 mL
25 mg	31.921 mL	6.384 mL	3.192 mL
50 mg	63.841 mL	12.768 mL	6.384 mL

Mass	1 mM	5 mM	10 mM
100 mg	127.682 mL	25.536 mL	12.768 mL
250 mg	319.206 mL	63.841 mL	31.921 mL

Volume (mL) = mass (mg) × 1000 / [MW (g/mol) × concentration (mM)]. Mathematical conversions only; not measured solubility. Confirm solvent compatibility and the exact material before preparation.

Handling & storage

Provided that storage conditions are as stated on the product vial and the vial is kept tightly sealed, the product can be stored for up to 1 year.

Wherever possible, prepare and use solutions on the same day. If stock solutions must be prepared in advance, store them as aliquots in tightly sealed vials at -20°C. Generally, these will be usable for up to one month.

Before use, and prior to opening the vial, allow the product to equilibrate to room temperature for at least 1 hour.

References

Not available