

# DC60494 | 76-O17Se

## Instructions for Use

76-O17Se is a lipidoid for the efficient delivery of antiCD19 mRNA CAR to murine primary macrophages. 76-O17Se is more efficient than delivery with lipofectamine 2000 (LPF2K) or MC3

## Product information

|                    |                                                                                                                                                                     |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CAS No.            | Not available                                                                                                                                                       |
| Chemical Name      | 76-O17Se                                                                                                                                                            |
| Formula            | C44H86O4N2Se2                                                                                                                                                       |
| M.Wt               | 865.10                                                                                                                                                              |
| Purity             | >95% by ELSD-HPLC                                                                                                                                                   |
| Storage            | Original product: up to 1 year under the storage conditions stated on the vial, kept tightly sealed. Stock solutions: aliquots at -20°C, generally up to one month. |
| Shipping condition | Ships from Shanghai. Pure lipid is stable during ice-pack transport.                                                                                                |

## Formulation & study context

Literature values apply to the cited study only. Administration routes describe research, not clinical instructions.

A complete product-specific formulation has not been verified. No standard ratio is substituted.

|                      |                                      |
|----------------------|--------------------------------------|
| N/P ratio            | Not reported in the verified record  |
| Cargo                | Not available in the verified record |
| Administration route | Not available in the verified record |
| Animal model         | Not available in the verified record |
| Formulation process  | Not available in the verified record |

N/P is a nitrogen-to-phosphate molar ratio. Lipid:cargo mass ratio is a different quantity and must not be used as N/P.

## Stock-solution preparation table

Calculated using product-page MW: 865.1 g/mol. Volumes are final solution volumes.

| Mass  | 1 mM      | 5 mM      | 10 mM    |
|-------|-----------|-----------|----------|
| 10 mg | 11.559 mL | 2.312 mL  | 1.156 mL |
| 25 mg | 28.898 mL | 5.780 mL  | 2.890 mL |
| 50 mg | 57.797 mL | 11.559 mL | 5.780 mL |

| Mass   | 1 mM       | 5 mM      | 10 mM     |
|--------|------------|-----------|-----------|
| 100 mg | 115.594 mL | 23.119 mL | 11.559 mL |
| 250 mg | 288.984 mL | 57.797 mL | 28.898 mL |

Volume (mL) = mass (mg) × 1000 / [MW (g/mol) × concentration (mM)]. Mathematical conversions only; not measured solubility. Confirm solvent compatibility and the exact material before preparation.

## Handling & storage

Provided that storage conditions are as stated on the product vial and the vial is kept tightly sealed, the product can be stored for up to 1 year.

Wherever possible, prepare and use solutions on the same day. If stock solutions must be prepared in advance, store them as aliquots in tightly sealed vials at -20°C. Generally, these will be usable for up to one month.

Before use, and prior to opening the vial, allow the product to equilibrate to room temperature for at least 1 hour.

## References

Not available