

DC68162 | HGT5001

Instructions for Use

HGT5001, disclosed in patent US 2026/0125339 A1 by Translate Bio (now part of Sanofi), is a potent ionizable cationic lipid optimized for mRNA delivery, exhibiting versatile organ tropism governed by the route of administration. When delivered via intratracheal or pulmonary administration, it effectively crosses the mucosal barrier to achieve high transfection efficiency specifically within lung tissues. Conversely, intravenous injection redirects its tropism to the liver and spleen via endogenous ApoE mediation, facilitating systemic protein replacement therapies. Engineered with an optimized headgroup, HGT5001 ensures excellent encapsulation, rapid pH-responsive endosomal escape, and superior biocompatibility with minimal systemic toxicity, making it an exceptional candidate for cystic fibrosis therapies and hepatic treatments.

Product information

CAS No.	Not available
Chemical Name	HGT5001
Formula	Not available
M.Wt	Not available
Purity	>98%
Storage	Original product: up to 1 year under the storage conditions stated on the vial, kept tightly sealed. Stock solutions: aliquots at -20°C, generally up to one month.
Shipping condition	Ships from Shanghai. Pure lipid is stable during ice-pack transport.

Formulation & study context

Literature values apply to the cited study only. Administration routes describe research, not clinical instructions.

A complete product-specific formulation has not been verified. No standard ratio is substituted.

N/P ratio	Not reported in the verified record
Cargo	Not available in the verified record
Administration route	Not available in the verified record
Animal model	Not available in the verified record
Formulation process	Not available in the verified record

N/P is a nitrogen-to-phosphate molar ratio. Lipid:cargo mass ratio is a different quantity and must not be used as N/P.

Stock-solution preparation table

Calculated using product-page MW: not available g/mol. Volumes are final solution volumes.

Mass	1 mM	5 mM	10 mM
10 mg	MW unavailable	MW unavailable	MW unavailable
25 mg	MW unavailable	MW unavailable	MW unavailable
50 mg	MW unavailable	MW unavailable	MW unavailable
100 mg	MW unavailable	MW unavailable	MW unavailable
250 mg	MW unavailable	MW unavailable	MW unavailable

Volume (mL) = mass (mg) × 1000 / [MW (g/mol) × concentration (mM)]. Mathematical conversions only; not measured solubility. Confirm solvent compatibility and the exact material before preparation.

Handling & storage

Provided that storage conditions are as stated on the product vial and the vial is kept tightly sealed, the product can be stored for up to 1 year.

Wherever possible, prepare and use solutions on the same day. If stock solutions must be prepared in advance, store them as aliquots in tightly sealed vials at -20°C. Generally, these will be usable for up to one month.

Before use, and prior to opening the vial, allow the product to equilibrate to room temperature for at least 1 hour.

References

Not available